

# MBS REALbasic EyeOne Plugin Documentation

Christian Schmitz

August 24, 2010

## 0.1 Introduction

This is the PDF version of the documentation for the REALbasic Plug-in from Monkeybread Software Germany. Plugin part: MBS REALbasic EyeOne Plugin

## 0.2 Content

- 1 List of all topics 3
- 2 All items in this plugin 7
- 3 List of all classes 43

# Chapter 1

## List of Topics

• 2 Eye-One Color	7
– 2.1 class EyeOneMBS	7
* 2.1.1 Available as Boolean	8
* 2.1.1 Calibrate as integer	8
* 2.1.1 GetDensities(values as memoryblock, byref pxAutoDensityIndex as integer, axIndex as integer) as integer	8
* 2.1.1 GetDensity(byref yxDensity as single, axIndex as integer) as integer	9
* 2.1.1 GetNumberOfAvailableSamples as integer	9
* 2.1.1 GetOption(key as string) as string	9
* 2.1.1 GetSpectrum(values as memoryblock, axIndex as integer) as integer	10
* 2.1.1 GetTriStimulus(values as memoryblock, axIndex as integer) as integer	10
* 2.1.1 IsConnected as integer	10
* 2.1.1 KeyPressed as integer	11
* 2.1.1 LibraryLoadError as Integer	11
* 2.1.1 LibraryLoadErrorMessage as String	11
* 2.1.1 LoadDLL(name as string) as boolean	11
* 2.1.1 LoadFramework(name as string) as boolean	12
* 2.1.1 LoadFrameworkFile(frameworkpath as folderitem) as boolean	12
* 2.1.1 LoadInternalDLL as boolean	13
* 2.1.1 LoadLibrary(file as folderitem) as boolean	13
* 2.1.1 LoadLibrary(path as string) as boolean	13
* 2.1.1 RegisterDeviceMessageEvent	13
* 2.1.1 RegisterErrorEvent	14
* 2.1.1 SetOption(key as string, value as string) as integer	14
* 2.1.1 SetSubstrate(values as memoryblock) as integer	14

* 2.1.1 TriggerMeasurement as integer	15
* 2.1.2 DeviceMessage(Message as integer, text as string)	15
* 2.1.2 Error(context as string, errorcode as integer, text as string)	15
* 2.1.3 COLOR_ SPACE_ CIELab="CIELab"	15
* 2.1.3 COLOR_ SPACE_ CIELCh="CIELCh"	16
* 2.1.3 COLOR_ SPACE_ CIELChuv="CIELChuv"	16
* 2.1.3 COLOR_ SPACE_ CIELuv="CIELuv"	16
* 2.1.3 COLOR_ SPACE_ CIExyY="CIExyY"	16
* 2.1.3 COLOR_ SPACE_ CIEXYZ="CIEXYZ"	17
* 2.1.3 COLOR_ SPACE_ CIE_ UV_ Y1960="CIEuvY1960"	17
* 2.1.3 COLOR_ SPACE_ CIE_ UV_ Y1976="CIEuvY1976"	17
* 2.1.3 COLOR_ SPACE_ HunterLab="HunterLab"	17
* 2.1.3 COLOR_ SPACE_ KEY="ColorSpaceDescription.Type"	17
* 2.1.3 COLOR_ SPACE_ LAB_ MG="LABmg"	18
* 2.1.3 COLOR_ SPACE_ LCH_ MG="LCHmg"	18
* 2.1.3 COLOR_ SPACE_ RGB="RGB"	18
* 2.1.3 COLOR_ SPACE_ RXRYRZ="RxRyRz"	18
* 2.1.3 DENSITY_ FILTER_ MODE_ AUTO="Auto"	19
* 2.1.3 DENSITY_ FILTER_ MODE_ BLACK="Black"	19
* 2.1.3 DENSITY_ FILTER_ MODE_ CYAN="Cyan"	19
* 2.1.3 DENSITY_ FILTER_ MODE_ KEY="Colorimetric.DensityFilterMode"	19
* 2.1.3 DENSITY_ FILTER_ MODE_ MAGENTA="Magenta"	19
* 2.1.3 DENSITY_ FILTER_ MODE_ MAX="Max"	20
* 2.1.3 DENSITY_ FILTER_ MODE_ YELLOW="Yellow"	20
* 2.1.3 DENSITY_ SIZE=4	20
* 2.1.3 DENSITY_ STANDARD_ ANSIA="ANSIA"	20
* 2.1.3 DENSITY_ STANDARD_ ANSIE="ANSIE"	21
* 2.1.3 DENSITY_ STANDARD_ ANSII="ANSII"	21
* 2.1.3 DENSITY_ STANDARD_ ANSIT="ANSIT"	21
* 2.1.3 DENSITY_ STANDARD_ DIN="DIN"	21
* 2.1.3 DENSITY_ STANDARD_ DINNB="DINNB"	21
* 2.1.3 DENSITY_ STANDARD_ KEY="Colorimetric.DensityStandard"	22
* 2.1.3 DENSITY_ STANDARD_ SPI="SPI"	22
* 2.1.3 eDeviceButtonPressed=0	22
* 2.1.3 eDeviceDisconnected=1	22
* 2.1.3 eDeviceNotCalibrated=3	23
* 2.1.3 eDeviceNotConnected=2	23
* 2.1.3 eDeviceNotReady=1	23
* 2.1.3 eException=9	23
* 2.1.3 eInvalidArgument=10	23
* 2.1.3 eKeyNotPressed=4	24
* 2.1.3 eNoDataAvailable=8	24

* 2.1.3 eNoError=0	24
* 2.1.3 eNoSubstrateWhite=5	24
* 2.1.3 eStripRecognitionFailed=7	25
* 2.1.3 eUnknownError=11	25
* 2.1.3 eWrongDeviceType=12	25
* 2.1.3 eWrongMeasureMode=6	25
* 2.1.3 I1_ ALL="All"	25
* 2.1.3 I1_ AUTO="Auto"	26
* 2.1.3 I1_ AVAILABLE_ MEASUREMENT_ MODES="AvailableMeasurementModes"	26
* 2.1.3 I1_ BLEAK="Bleak"	26
* 2.1.3 I1_ BRIGHT="Bright"	26
* 2.1.3 I1_ BUILD_ VERSION="BuildVersion"	27
* 2.1.3 I1_ CALIBRATION_ COUNT="LastCalibrationCounter"	27
* 2.1.3 I1_ CRT_ SCREEN="CRT"	27
* 2.1.3 I1_ DEVICE_ TYPE="DeviceType"	27
* 2.1.3 I1_ DISPLAY="EyeOneDisplay"	27
* 2.1.3 I1_ EXTENDED_ ERROR_ INFORMATION="ExtendedErrorInformation"	28
* 2.1.3 I1_ EYEONE="EyeOne"	28
* 2.1.3 I1_ INTEGRATION_ TIME="IntegrationTime"	28
* 2.1.3 I1_ IS_ ADAPTIVE_ MODE_ ENABLED="AdaptiveMode"	28
* 2.1.3 I1_ IS_ BEEP_ ENABLED="Beep"	29
* 2.1.3 I1_ IS_ CONNECTED="Connection"	29
* 2.1.3 I1_ IS_ KEY_ PRESSED="IsKeyPressed"	29
* 2.1.3 I1_ IS_ NETPROFILER_ ENABLED="NetProfiler"	29
* 2.1.3 I1_ IS_ RECOGNITION_ ENABLED="Recognition"	29
* 2.1.3 I1_ LAST_ AUTO_ DENSITY_ FILTER="LastAutoDensityFilter"	30
* 2.1.3 I1_ LAST_ CALIBRATION_ TIME="LastCalibrationTime"	30
* 2.1.3 I1_ LAST_ ERROR="LastError"	30
* 2.1.3 I1_ LCD_ SCREEN="LCD"	30
* 2.1.3 I1_ MAJOR_ VERSION="MajorVersion"	31
* 2.1.3 I1_ MEASUREMENT_ MODE="MeasurementMode"	31
* 2.1.3 I1_ MINOR_ VERSION="MinorVersion"	31
* 2.1.3 I1_ NO="no"	31
* 2.1.3 I1_ NO_ FILTER="1"	31
* 2.1.3 I1_ NUMBER_ OF_ AVAILABLE_ SAMPLES="AvailableSamples"	32
* 2.1.3 I1_ PATCH_ INTENSITY="PatchIntensity"	32
* 2.1.3 I1_ PHYSICAL_ FILTER="PhysicalFilter"	32
* 2.1.3 I1_ RESET="Reset"	32
* 2.1.3 I1_ REVISION_ VERSION="RevisionVersion"	33
* 2.1.3 I1_ SCANNING_ AMBIENT_ LIGHT="ScanningAmbientLight"	33
* 2.1.3 I1_ SCANNING_ REFLECTANCE="ScanningReflectance"	33
* 2.1.3 I1_ SCREEN_ TYPE="ScreenType"	33

* 2.1.3 I1_ SERIAL_ NUMBER="SerialNumber"	33
* 2.1.3 I1_ SINGLE_ AMBIENT_ LIGHT="SingleAmbientLight"	34
* 2.1.3 I1_ SINGLE_ EMISSION="SingleEmission"	34
* 2.1.3 I1_ SINGLE_ REFLECTANCE="SingleReflectance"	34
* 2.1.3 I1_ UNDEFINED_ FILTER="0"	34
* 2.1.3 I1_ UV_ FILTER="2"	35
* 2.1.3 I1_ VERSION="Version"	35
* 2.1.3 I1_ YES="yes"	35
* 2.1.3 ILLUMINATION_ A="A"	35
* 2.1.3 ILLUMINATION_ B="B"	35
* 2.1.3 ILLUMINATION_ C="C"	36
* 2.1.3 ILLUMINATION_ D50="D50"	36
* 2.1.3 ILLUMINATION_ D55="D55"	36
* 2.1.3 ILLUMINATION_ D65="D65"	36
* 2.1.3 ILLUMINATION_ D75="D75"	37
* 2.1.3 ILLUMINATION_ EMISSION="Emission"	37
* 2.1.3 ILLUMINATION_ F11="F11"	37
* 2.1.3 ILLUMINATION_ F2="F2"	37
* 2.1.3 ILLUMINATION_ F7="F7"	37
* 2.1.3 ILLUMINATION_ KEY="Colorimetric.Illumination"	39
* 2.1.3 OBSERVER_ KEY="Colorimetric.Observer"	39
* 2.1.3 OBSERVER_ TEN_ DEGREE="TenDegree"	39
* 2.1.3 OBSERVER_ TWO_ DEGREE="TwoDegree"	39
* 2.1.3 SPECTRUM_ SIZE=36	39
* 2.1.3 TRISTIMULUS_ SIZE=3	40
* 2.1.3 UNDEFINED="Undefined"	40
* 2.1.3 WAVE_ LENGTH_ 380="380nm"	40
* 2.1.3 WAVE_ LENGTH_ 730="730nm"	40
* 2.1.3 WHITE_ BASE_ ABSOLUTE="Absolute"	41
* 2.1.3 WHITE_ BASE_ AUTOMATIC="Automatic"	41
* 2.1.3 WHITE_ BASE_ KEY="Colorimetric.WhiteBase"	41
* 2.1.3 WHITE_ BASE_ PAPER="Paper"	41

## Chapter 2

# Eye-One Color

### 2.1 class EyeOneMBS

class EyeOneMBS

class, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 3.3, console safe, Mac OS X: Works, Windows: Works, Linux x86: Does nothing.

**Function:** A class which handles the EyeOneSDK from Realbasic.

**Example:**

```
dim d as integer
dim i1 as EyeOneMBS

i1=new EyeOneMBS
' ... other stuff
d=i1.SetOption("Reset","All")
```

**Notes:**

Check the website <<http://www.i1color.com/>>.

This class just reproduces the functions from the C SDK so you may get the docs from this SDK for more details.

You may need to do a Reset on the end of your application to avoid a crash on Mach-O Targets.

### 2.1.1 Methods

#### Available as Boolean

shared method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 3.3, console safe, Mac OS X: Works, Windows: Works, Linux x86: Does nothing.

**Function:** True if the shared library was loaded.

#### Calibrate as integer

shared method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 3.3, console safe, Mac OS X: Works, Windows: Works, Linux x86: Does nothing.

**Function:** Calibrates the Eye-One hardware device.

**Notes:** Returns -1 in case the shared library was not loaded.

#### GetDensities(values as memoryblock, byref pxAutoDensityIndex as integer, axIndex as integer) as integer

shared method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 3.3, console safe, Mac OS X: Works, Windows: Works, Linux x86: Does nothing.

**Function:** Get all possible densities (CMYK) of a previous triggered measurement.

**Notes:**

The memoryblock is filled with single values.

Returns -1 in case the shared library was not loaded.

**GetDensity**(byref yxDensity as single, axIndex as integer) as integer

shared method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 3.3, console safe, Mac OS X: Works, Windows: Works, Linux x86: Does nothing.

**Function:** Get the density of a previous triggered measurement.

**Notes:** Returns -1 in case the shared library was not loaded.

**GetNumberOfAvailableSamples** as integer

shared method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 3.3, console safe, Mac OS X: Works, Windows: Works, Linux x86: Does nothing.

**Function:** Returns the number of available samples for the current measurement mode.

**Notes:** Returns -1 in case the shared library was not loaded.

**GetOption**(key as string) as string

shared method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 3.3, console safe, Mac OS X: Works, Windows: Works, Linux x86: Does nothing.

**Function:** Returns information about the current state of the Eye-One hardware device and its measurement conditions.

**Example:**

```
dim e as EyeOneMBS
dim f as FolderItem

f=GetFolderItem("i1C.framework")
e=new EyeOneMBS
if e.LoadFrameworkFile(f) then
msgbox e.GetOption(EyeOneMBS.I1_ VERSION)
else
msgbox "Failed to load "+f.name
end if
```

**Notes:** Returns "" in case the shared library was not loaded.

**GetSpectrum(values as memoryblock, axIndex as integer) as integer**

shared method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 3.3, console safe, Mac OS X: Works, Windows: Works, Linux x86: Does nothing.

**Function:** Get the spectrum of a previous triggered measurement.

**Notes:**

The memoryblock is filled with single values.  
Returns -1 in case the shared library was not loaded.

Memoryblock must be at least big enough for 36 single values (144 bytes).

**GetTriStimulus(values as memoryblock, axIndex as integer) as integer**

shared method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 3.3, console safe, Mac OS X: Works, Windows: Works, Linux x86: Does nothing.

**Function:** Get the tri-stimulus of a previous triggered measurement.

**Notes:**

The memoryblock is filled with single values.  
Returns -1 in case the shared library was not loaded.

Memoryblock must be at least big enough for 3 single values (12 bytes).

**IsConnected as integer**

shared method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 3.3, console safe, Mac OS X: Works, Windows: Works, Linux x86: Does nothing.

**Function:** Tests if a hardware device is connected.

**Notes:** Returns -1 in case the shared library was not loaded.

**KeyPressed as integer**

shared method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 3.3, console safe, Mac OS X: Works, Windows: Works, Linux x86: Does nothing.

**Function:** Tests if the key on the Eye-One Pro hardware device has been pressed. You can use this method to wait for the user before scanning.

**Notes:** Returns -1 in case the shared library was not loaded.

**LibraryLoadError as Integer**

shared method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 3.3, console safe, Mac OS X: Works, Windows: Works, Linux x86: Does nothing.

**Function:** The platform dependent error code from the LoadLibrary function.

**Notes:** 0 if successfull.

**LibraryLoadErrorMessage as String**

shared method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, console safe, Mac OS X: Works, Windows: Works, Linux x86: Does nothing.

**Function:** An error message if available.

**Notes:**

The Mac OS error string from LoadCFMLibrary.  
Empty if no error occurred.

**LoadDLL(name as string) as boolean**

shared method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, console safe, Mac OS X: Does nothing, Windows: Works, Linux x86: Does nothing.

**Function:** Loads the shared library.

**Notes:**

Pass the ASCII encoded path string.

e.g. name "eyeone" or "eyeone.dll" or a full path "C:\Eyeone\eyeone.dll".  
Returns true on success and false on failure.  
Deprecated in plugin version 10.4.

### **LoadFramework(name as string) as boolean**

shared method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin  
version: 5.4, console safe, Mac OS X: Works, Windows: Does nothing, Linux x86: Does nothing.

**Function:** Loads the EyeOne framework.

**Notes:**

Pass the name of the framework.  
e.g. "i1C.framework"  
Deprecated in plugin version 10.4.

### **LoadFrameworkFile(folderitem as folderitem) as boolean**

shared method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin  
version: 5.4, console safe, Mac OS X: Works, Windows: Does nothing, Linux x86: Does nothing.

**Function:** Loads the EyeOne framework.

**Example:**

```
dim f as FolderItem
dim s as EyeOneMBS

f=SpecialFolder.Desktop.Child("i1C.framework")
s=new EyeOneMBS

if s.LoadFrameworkFile(f) then
  MsgBox "OK"
end if
```

**Notes:**

Pass the folderitem of the framework.  
Deprecated in plugin version 10.4.

**LoadInternalDLL as boolean**

shared method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, console safe, Mac OS X: Does nothing, Windows: Works, Linux x86: Does nothing.

**Function:** Loads the shared library from inside the plugin.

**Notes:** Returns true on success and false on failure.

**LoadLibrary(file as folderitem) as boolean**

shared method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 10.4, console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** Loads the EyeOne shared library.

**Notes:** Loads a Windows DLL, a Linux shared library, a Mac OS X shared library or a Mac OS X framework from the given path.

See also:

- 2.1.1 LoadLibrary(path as string) as boolean

13

**LoadLibrary(path as string) as boolean**

shared method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 10.4, console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** Loads the EyeOne shared library.

**Notes:** Loads a Windows DLL, a Linux shared library, a Mac OS X shared library or a Mac OS X framework from the given path.

See also:

- 2.1.1 LoadLibrary(file as folderitem) as boolean

13

**RegisterDeviceMessageEvent**

method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, console safe, Mac OS X: Works, Windows: Works, Linux x86: Does nothing.

**Function:** Registers a device message event handler callback function.

**Notes:** Only one class can have an activate device message event handler at a given time.

### RegisterErrorEvent

method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 3.3, console safe, Mac OS X: Works, Windows: Works, Linux x86: Does nothing.

**Function:** Registers an error handler callback function.

**Notes:**

In case of an error, this handler is invoked before returning from a call to the Eye-One-SDK. Only one class can have an activate error event at a given time.

### SetOption(key as string, value as string) as integer

shared method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 3.3, console safe, Mac OS X: Works, Windows: Works, Linux x86: Does nothing.

**Function:** Used to set the desired device type, measurement mode and physical measurement conditions.

**Notes:** Returns -1 in case the shared library was not loaded.

### SetSubstrate(values as memoryblock) as integer

shared method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 3.3, console safe, Mac OS X: Works, Windows: Works, Linux x86: Does nothing.

**Function:** Sets the substrate reference spectrum that is needed for density calculations.

**Notes:**

The memoryblock is filled with single values.

Returns -1 in case the shared library was not loaded.

### TriggerMeasurement as integer

shared method from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 3.3, console safe, Mac OS X: Works, Windows: Works, Linux x86: Does nothing.

**Function:** Triggers a measurement depending on the current measurement mode.

**Notes:**

Before a measurement can be triggered the device must be calibrated in the desired measurement mode. Returns -1 in case the shared library was not loaded.

### 2.1.2 Events

#### DeviceMessage(Message as integer, text as string)

event from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Does nothing.

**Function:** A message was received from the device.

#### Error(context as string, errorcode as integer, text as string)

event from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 3.3, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Does nothing.

**Function:** The error callback.

### 2.1.3 Constants

#### COLOR\_SPACE\_CIELab="CIELab"

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**COLOR\_ SPACE\_ CIELCh="CIELCh"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**COLOR\_ SPACE\_ CIELChuv="CIELChuv"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**COLOR\_ SPACE\_ CIELuv="CIELuv"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**COLOR\_ SPACE\_ CIExyY="CIExyY"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**COLOR\_ SPACE\_ CIEXYZ="CIEXYZ"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**COLOR\_ SPACE\_ CIE\_ UV\_ Y1960="CIEuvY1960"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**COLOR\_ SPACE\_ CIE\_ UV\_ Y1976="CIEuvY1976"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**COLOR\_ SPACE\_ HunterLab="HunterLab"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**COLOR\_ SPACE\_ KEY="ColorSpaceDescription.Type"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **COLOR\_SPACE\_LAB\_MG="LABmg"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **COLOR\_SPACE\_LCH\_MG="LCHmg"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **COLOR\_SPACE\_RGB="RGB"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **COLOR\_SPACE\_RXRYRZ="RxRyRz"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**DENSITY\_FILTER\_MODE\_AUTO="Auto"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**DENSITY\_FILTER\_MODE\_BLACK="Black"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**DENSITY\_FILTER\_MODE\_CYAN="Cyan"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**DENSITY\_FILTER\_MODE\_KEY="Colorimetric.DensityFilterMode"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**DENSITY\_FILTER\_MODE\_MAGENTA="Magenta"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**DENSITY\_FILTER\_MODE\_MAX="Max"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**DENSITY\_FILTER\_MODE\_YELLOW="Yellow"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**DENSITY\_SIZE=4**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**DENSITY\_STANDARD\_ANSIA="ANSIA"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**DENSITY\_STANDARD\_ANSIE="ANSIE"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**DENSITY\_STANDARD\_ANSII="ANSII"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**DENSITY\_STANDARD\_ANSIT="ANSIT"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**DENSITY\_STANDARD\_DIN="DIN"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**DENSITY\_STANDARD\_DINNB="DINNB"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **DENSITY\_STANDARD\_KEY="Colorimetric.DensityStandard"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **DENSITY\_STANDARD\_SPI="SPI"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **eDeviceButtonPressed=0**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class for error codes.

#### **eDeviceDisconnected=1**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class for error codes.

**eDeviceNotCalibrated=3**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class for error codes.

**eDeviceNotConnected=2**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class for error codes.

**eDeviceNotReady=1**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class for error codes.

**eException=9**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class for error codes.

**eInvalidArgument=10**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class for error codes.

#### **eKeyNotPressed=4**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class for error codes.

#### **eNoDataAvailable=8**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class for error codes.

#### **eNoError=0**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class for error codes.

#### **eNoSubstrateWhite=5**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class for error codes.

**eStripRecognitionFailed=7**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class for error codes.

**eUnknownError=11**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class for error codes.

**eWrongDeviceType=12**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class for error codes.

**eWrongMeasureMode=6**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class for error codes.

**I1\_ ALL="All"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **I1\_ AUTO="Auto"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **I1\_ AVAILABLE\_MEASUREMENT\_MODES="AvailableMeasurementModes"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **I1\_ BLEAK="Bleak"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **I1\_ BRIGHT="Bright"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**I1\_ BUILD\_ VERSION="BuildVersion"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 7.7, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used to get the version.

**I1\_ CALIBRATION\_ COUNT="LastCalibrationCounter"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**I1\_ CRT\_ SCREEN="CRT"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**I1\_ DEVICE\_ TYPE="DeviceType"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**I1\_ DISPLAY="EyeOneDisplay"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **I1\_ EXTENDED\_ ERROR\_ INFORMATION="ExtendedErrorInformation"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **I1\_ EYEOONE="EyeOne"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **I1\_ INTEGRATION\_ TIME="IntegrationTime"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **I1\_ IS\_ ADAPTIVE\_ MODE\_ ENABLED="AdaptiveMode"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**I1\_ IS\_ BEEP\_ ENABLED="Beep"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**I1\_ IS\_ CONNECTED="Connection"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**I1\_ IS\_ KEY\_ PRESSED="IsKeyPressed"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**I1\_ IS\_ NETPROFILER\_ ENABLED="NetProfiler"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**I1\_ IS\_ RECOGNITION\_ ENABLED="Recognition"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **I1\_ LAST\_ AUTO\_ DENSITY\_ FILTER="LastAutoDensityFilter"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **I1\_ LAST\_ CALIBRATION\_ TIME="LastCalibrationTime"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **I1\_ LAST\_ ERROR="LastError"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **I1\_ LCD\_ SCREEN="LCD"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**I1\_ MAJOR\_ VERSION="MajorVersion"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 7.7, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used to get the version.

**I1\_ MEASUREMENT\_ MODE="MeasurementMode"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**I1\_ MINOR\_ VERSION="MinorVersion"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 7.7, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used to get the version.

**I1\_ NO="no"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**I1\_ NO\_ FILTER="1"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **I1\_ NUMBER\_ OF\_ AVAILABLE\_ SAMPLES="AvailableSamples"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **I1\_ PATCH\_ INTENSITY="PatchIntensity"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **I1\_ PHYSICAL\_ FILTER="PhysicalFilter"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **I1\_ RESET="Reset"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**I1\_ REVISION\_ VERSION="RevisionVersion"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 7.7, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used to get the version.

**I1\_ SCANNING\_ AMBIENT\_ LIGHT="ScanningAmbientLight"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**I1\_ SCANNING\_ REFLECTANCE="ScanningReflectance"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**I1\_ SCREEN\_ TYPE="ScreenType"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**I1\_ SERIAL\_ NUMBER="SerialNumber"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **I1\_SINGLE\_AMBIENT\_LIGHT="SingleAmbientLight"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **I1\_SINGLE\_EMISSION="SingleEmission"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **I1\_SINGLE\_REFLECTANCE="SingleReflectance"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

#### **I1\_UNDEFINED\_FILTER="0"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**I1\_ UV\_ FILTER="2"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**I1\_ VERSION="Version"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**I1\_ YES="yes"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**ILLUMINATION\_ A="A"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**ILLUMINATION\_ B="B"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**ILLUMINATION\_ C="C"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**ILLUMINATION\_ D50="D50"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**ILLUMINATION\_ D55="D55"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**ILLUMINATION\_ D65="D65"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**ILLUMINATION\_ D75="D75"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**ILLUMINATION\_ EMISSION="Emission"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**ILLUMINATION\_ F11="F11"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**ILLUMINATION\_ F2="F2"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**ILLUMINATION\_ F7="F7"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**ILLUMINATION\_ KEY="Colorimetric.Illumination"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**OBSERVER\_ KEY="Colorimetric.Observer"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**OBSERVER\_ TEN\_ DEGREE="TenDegree"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**OBSERVER\_ TWO\_ DEGREE="TwoDegree"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**SPECTRUM\_ SIZE=36**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

### **TRISTIMULUS\_SIZE=3**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

### **UNDEFINED="Undefined"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

### **WAVE\_LENGTH\_380="380nm"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

### **WAVE\_LENGTH\_730="730nm"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**WHITE\_ BASE\_ ABSOLUTE="Absolute"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**WHITE\_ BASE\_ AUTOMATIC="Automatic"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**WHITE\_ BASE\_ KEY="Colorimetric.WhiteBase"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.

**WHITE\_ BASE\_ PAPER="Paper"**

const from class EyeOneMBS, Eye-One Color, MBS REALbasic EyeOne Plugin (EyeOne), Plugin version: 5.4, not console safe, Mac OS X: Works, Windows: Works, Linux x86: Works.

**Function:** One of the constants used in the EyeOneMBS class.



## Chapter 3

### List of all classes

- EyeOneMBS

7